altro



Floors and walls guide

Product catalogue

altro.com

Contents

Welcome to Altro 4

Floors

LVTs

Altro Ensemble™ 6

Rolls

Altro Cantata™ adhesive-free 14
Altro Orchestra™ 16
Altro Orchestra™ Custom 20
Altro Operetta™ 22
Altro Serenade™ 24
Altro Wood™ adhesive-free 26
Altro Wood™ 28
Altro Wood™ Comfort 30
Altro Illustra™ adhesive-free 32
Altro Illustra™ 34
Altro Suprema™ 36
Altro XpressLay™ adhesive-free 40
Altro Walkway™ 20 44
Altro Walkway™ 20 SD 48
Altro ContraX™ 50
Altro Classic™ 25 52
Altro Reliance™ 25 54
Altro Atlas™ 40 58
Altro Stronghold™ 30 adhesive-free 60
Altro Stronghold™ 30 62
Altro Oceanis™ 64
Altro Aquarius™ 66
Altro Pisces™ 68
Altro Marine™ 70

Walls

Hygienic wall cladding

Altro Whiterock White™ 72
Altro Whiterock™ Vantage 74
Altro Whiterock Satins™ 76
Altro Whiterock Chameleon™ 80
Altro Whiterock™ wall designs 82
Altro Whiterock Digiclad™ (Custom) 84

Wall protection

Altro Fortis Titanium™ 86
Altro Fortis™ corner protection 88

Specialist wall solutions

Altro Tegulis™ 90
Altro Whiterock™ Whiteboard 96
Altro Walls ShowerKit™ 98
Altro Whiterock Splashbacks™ 106

Technical drawings 110

Support 124



Altro Illustra adhesive-free and Altro Whiterock wall designs



Altro Stronghold 30 adhesive-free and Altro Whiterock wall designs



Altro Aquarius and Altro Walls ShowerKit

Choose by type of floor or wall

Designer ranges

LVTs

Altro Ensemble (15dB) 6

Floors

Altro Cantata adhesive-free (14dB) 14
Altro Orchestra (15dB) 16
Altro Orchestra Custom (15dB) 20
Altro Operetta (4dB) 22
Altro Serenade (19dB) 24

Floors with safety

Altro Wood adhesive-free (14dB) 26
Altro Wood 28
Altro Wood Comfort (14dB) 30
Altro Illustra adhesive-free (14dB) 32
Altro Illustra (4dB) 34
Altro Suprema 36
Altro Oceanis 64

Decorative wall sheets

Altro Whiterock Satins 76
Altro Whiterock Chameleon 80
Altro Whiterock wall designs 82
Altro Whiterock Digiclad (Custom) 84
Altro Tegulis 90
Altro Whiterock Whiteboard 96

Acoustic floors

LVTs

Altro Ensemble (15dB) 6

Floors

Altro Cantata adhesive-free (14dB) 14
Altro Orchestra (15dB) 16
Altro Orchestra Custom (15dB) 20
Altro Serenade (19dB) 24
Altro Wood adhesive-free (14dB) 26
Altro Wood Comfort (14dB) 30
Altro Illustra adhesive-free (14dB) 32

Safety floors

Floors

Altro Wood adhesive-free (14dB) 26
Altro Wood (4dB) 28
Altro Wood Comfort (14dB) 30
Altro Illustra adhesive-free (14dB) 32
Altro Illustra (4dB) 35
Altro Suprema 36
Altro XpressLay adhesive-free 40
Altro Walkway 44
Altro Walkway SD 48
Altro ContraX 50

Safety floors continued

Heavy duty (2.5mm+)

Altro Classic 25 (2.5mm) 52
Altro Reliance 25 (2.5mm) 54
Altro Atlas 40 (4mm) 58

Kitchens

Altro Classic 25 (2.5mm) 52
Altro Stronghold 30 adhesive-free 60
Altro Stronghold 30 62

Bathrooms

Altro Oceanis 64
Altro Aquarius 66
Altro Pisces 68
Altro Marine 70

Heavy duty

Floors

Altro Classic 25 52
Altro Reliance 25 54
Altro Atlas 40 58

Wall protection

Altro Fortis Titanium 86
Altro Fortis corner protection 88

Walls

Hygienic wall cladding

Altro Whiterock White 72
Altro Whiterock Vantage 74
Altro Whiterock Satins 76
Altro Whiterock Chameleon 80
Altro Whiterock wall designs 82
Altro Whiterock Digiclad (Custom) 84
Altro Whiterock Whiteboard 96
Altro Walls ShowerKit 98
Altro Whiterock Splashbacks 106

Tile-effect wall panel

Altro Tegulis 90

Wall protection

Altro Fortis Titanium 86
Altro Fortis corner protection 88

Sustainable solutions

Adhesive-free floors

Altro Cantata adhesive-free (14dB) 14

Adhesive-free floors with safety

Altro Wood adhesive-free (14dB) 26
Altro Illustra adhesive-free (14dB) 32
Altro XpressLay adhesive-free 40
Altro Stronghold 30 adhesive-free 60

Walls

Altro Whiterock White 72
Altro Whiterock Vantage 74
Altro Whiterock Satins 76
Altro Whiterock Chameleon 80
Altro Whiterock wall designs 82
Altro Tegulis 90
Altro Walls ShowerKit 98
Altro Whiterock Splashbacks 106

Commercial kitchens

Floors

Altro Classic 25 52
Altro Stronghold 30 adhesive-free 60
Altro Stronghold 30 62

Walls

Altro Whiterock White 72
Altro Whiterock Vantage 74
Altro Whiterock Satins 76
Altro Whiterock Chameleon 80
Altro Whiterock wall designs 82
Altro Tegulis 90

Bathrooms, wet rooms, and showers

Floors

Altro Oceanis 64
Altro Aquarius 66
Altro Pisces 68
Altro Marine 70

Walls

Altro Whiterock White 72
Altro Whiterock Vantage 74
Altro Whiterock Satins 76
Altro Whiterock Chameleon 80
Altro Whiterock wall designs 82
Altro Whiterock Digiclad (Custom) 84
Altro Tegulis 90
Altro Walls ShowerKit 98
Altro Whiterock Splashbacks 106

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people's needs at the heart of everything we do. It's a human-centred approach to designing for the demands of 21st century life.

It's a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors – LVTs



Altro Ensemble

Application areas:

- Communal areas
- Receptions
- Corridors
- Dining, bars
- Waiting areas
- Resident rooms
- Shops

Altro Ensemble – the next generation of luxury vinyl tiles. A modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From warm wood herringbone to geometric patterns, natural stone and concrete effects, the possibilities are as endless as your imagination.
Altro Ensemble has 15dB impact sound insulation with added comfort underfoot, making it perfect for front of house areas in hospitality, hotels including foyers and reception areas, restaurant and café dining areas, retail, offices, and student accommodation – any environment where design is key.
With six, lightweight, easy to install, modular sizes, you can create flexible designs by mix and matching, to creating unique patterns where first impressions count.



Nimbus Oak
M054W125L1000 | LRV 36

For full technical details altro.com

Floors – LVTs



White Vintage Timber
M009W100L500 | LRV 44



Spring Oak
M051W100L500 | LRV 54




Autumn Oak
M053W100L500 | LRV 35



Spiced Oak
M052W100L500 | LRV 24



Persian Oak
M044W100L500 | LRV 20




Blue Vintage Timber
M011W100L500 | LRV 42



Greige Rustic Oak
M034W100L500 | LRV 35



Medium Grey Harmonious Oak
M027W100L500 | LRV 21



Midnight Oak
M040W100L500 | LRV 7


Plank size

100 × 500 mm

Floors – LVTs



Spring Oak
M051W125L1000 | LRV 54



Bale Oak
M041W125L1000 | LRV 48



Autumn Oak
M053W125L1000 | LRV 35




Spanish Oak
M045W125L1000 | LRV 30



Natural Rustic Oak
M017W125L1000 | LRV 27



White Vintage Timber
M009W125L1000 | LRV 44



Blue Vintage Timber
M011W125L1000 | LRV 42



Harbour Oak
M046W125L1000 | LRV 35



Natural Striking Oak
M032W125L1000 | LRV 26



Marine Oak
M042W125L1000 | LRV 21



Faded Oak
M039W125L1000 | LRV 57



Sage Oak
M043W125L1000 | LRV 38



Greige Striking Oak
M033W125L1000 | LRV 16



Smoked Rustic Oak
M035W125L1000 | LRV 12



River Oak
M047W125L1000 | LRV 14




Greige Rustic Oak
M034W125L1000 | LRV 35



Storm Oak
M056W125L1000 | LRV 42



Nimbus Oak
M054W125L1000 | LRV 36



Medium Grey
Harmonious Oak
M027W125L1000 | LRV 21



Spiced Oak
M052W125L1000 | LRV 24

Plank size

125 × 1000 mm


Floors – LVTs




Persian Oak
M044W125L1000 | LRV 20



Tobacco Limed
Striking Oak
M008W125L1000 | LRV 18



Regal Oak
M049W125L1000 | LRV 12



Midnight Oak
M040W125L1000 | LRV 7

Plank size

125 × 1000 mm




Bale Oak
M041W166L1500 | LRV 48




Autumn Oak
M053W166L1500 | LRV 35



Spiced Oak
M052W166L1500 | LRV 24



Medium Grey
Harmonious Oak
M027W166L1500 | LRV 21



Midnight Oak
M040W166L1500 | LRV 7

Plank size

166 × 1500 mm

Floors – LVTs



Spring Oak
M051W200L2000 | LRV 54



Autumn Oak
M053W200L2000 | LRV 35



Natural Rustic Oak
M017W200L2000 | LRV 27




Harbour Oak
M046W200L2000 | LRV 35



Marine Oak
M042W200L2000 | LRV 21



Greige Rustic Oak
M034W200L2000 | LRV 35



Medium Grey Harmonious Oak
M027W200L2000 | LRV 21



Smoked Rustic Oak
M035W200L2000 | LRV 12



Spiced Oak
M052W200L2000 | LRV 24




River Oak
M047W200L2000 | LRV 14



Persian Oak
M044W200L2000 | LRV 20



Regal Oak
M049W200L2000 | LRV 12



Midnight Oak
M040W200L2000 | LRV 7

Plank size




200 × 2000 mm

Floors – LVTs



Fossil Stone
MT084W500L500 | LRV 45




Urban Concrete
MT090W500L500 | LRV 40




Village Concrete
MT091W500L500 | LRV 53



Venetian Stone
MT092W500L500 | LRV 40




Platinum Concrete
MT087W500L500 | LRV 37



Portland Stone
MT083W500L500 | LRV 20




Pumice Stone
MT085W500L500 | LRV 13



Pewter Concrete
MT088W500L500 | LRV 15




Clay Stone
MT086W500L500 | LRV 9



Anthracite Concrete
MT089W500L500 | LRV 6

Tile size



500 × 500 mm

Floors – LVTs



Fossil Stone
MT084W500L1000 | LRV 45




Urban Concrete
MT090W500L1000 | LRV 40



Village Concrete
MT091W500L1000 | LRV 53



Venetian Stone
MT092W500L1000 | LRV 40




Platinum Concrete
MT087W500L1000 | LRV 37



Portland Stone
MT083W500L1000 | LRV 20



Pumice Stone
MT085W500L1000 | LRV 13



Pewter Concrete
MT088W500L1000 | LRV 15



Clay Stone
MT086W500L1000 | LRV 9



Anthracite Concrete
MT089W500L1000 | LRV 6

Tile size



500 × 1000 mm



Floors



Altro Cantata adhesive-free

Application areas:

- Communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops


A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. Altro Cantata adhesive-free is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.



Hazelnut | AFP282009
WR418 / A1M239 / LRV 18

For full technical details altro.com

Floors




Frosted Glass
AFP282005
WR388 / A1M388 / LRV 52

Mocha
AFP282003
WR555 / A1M389 / LRV 40

Graphite
AFP282002
WR390 / A1M390 / LRV 30

True Grit
AFP282001
WR391 / A1M82 / LRV 17

Black Sand
AFP282010
WR485 / A1M485 / LRV 7




Crème Caramel
AFP282006
WR523 / A1M385 / LRV 50

Willow Tree
AFP282007
WR399 / A1M399 / LRV 41

Bluebell
AFP282004
WR398 / A1M398 / LRV 26

Sunrise
AFP282008
WR393 / A1M393 / LRV 19

Treviso
AFT284003
WR483 / A1M483 / LRV 44



Seal Grey
AFC281002
WR435 / A1M390 / LRV 26

Bluefin
AFC281001
WR438 / A1M486 / LRV 26

Milan
AFT284002
WR482 / A1M482 / LRV 15

Rome
AFT284001
WR481 / A1M83 / LRV 16

Venice
AFT284004
WR484 / A1M484 / LRV 40



Elephant Grey
AFC281003
WR436 / A1M487 / LRV 17

Floors




Altro Orchestra

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops


For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Serpent | CH2850U
WR517 / A1M136 / LRV 56

For full technical details altro.com


Floors




Chimes | CH2836U
WR457 / A1M335 / LRV 52




Oboe | CH2835U
WR456 / A1M338 / LRV 34




Violin | CH2834U
WR455 / A1M361 / LRV 31




Bongo | CH2840U
WR461 / A1M152 / LRV 27




Trombone | CH2839U
WR460 / A1M484 / LRV 39




Conga | CH2879U
WR390 / A1M390 / LRV 30




Flute | CH2833U
WR454 / A1M86 / LRV 22




Manon | CH2878U
WR391 / A1M82 / LRV 17




Drum | CH2837U
WR458 / A1M74 / LRV 18




Chromatic | CH2852U
WR496 / A1M136 / LRV 49




String | CH2841U
WR484 / A1M484 / LRV 40




Percussion | CH2844U
WR490 / A1M86 / LRV 18



Maraca | CH2855U
WR499 / A1M136 / LRV 56



Musette | CH2856U
WR515 / A1M136 / LRV 49



Brass | CH2842U
WR483 / A1M483 / LRV 44



Woodwind | CH2843U
WR489 / A1M385 / LRV 45

Floors



Reggae | CH2801U
WR422 / A1M200 / LRV 48




Salsa | CH2802U
WR423 / A1M200 / LRV 20




Flamenco | CH2806U
WR427 / A1M200 / LRV 12




Jazz | CH2824U
WR445 / A1M200 / LRV 15



Fusion | CH2813U
WR434 / A1M200 / LRV 49




Rap | CH2820U
WR441 / A1M200 / LRV 30




Soul | CH2817U
WR438 / A1M200 / LRV 29



Gospel | CH2821U
WR442 / A1M200 / LRV 17




Chant | CH2814U
WR435 / A1M390 / LRV 26




Club | CH2815U
WR436 / A1M487 / LRV 17


Floors




Trumpet | CH2825U
WR446 / A1M347 / LRV 37




Glockenspiel | CH2827U
WR448 / A1M361 / LRV 23




Cello | CH2829U
WR450 / A1M81 / LRV 24




Guitar | CH2828U
WR449 / A1M137 / LRV 29




Aurora | CH2857U
WR500 / A1M136 / LRV 60



Reed | CH2874U
WR513 / A1M85 / LRV 39




Polka | CH2859U
WR502 / A1M390 / LRV 23




Timpani | CH2861U
WR504 / A1M417 / LRV 20



Macavity | CH2867U
WR508 / A1M11 / LRV 57



Sitar | CH2869U
WR510 / A1M347 / LRV 38



Tosca | CH2862U
WR494 / A1M494 / LRV 23

Floors – Smooth



Altro Orchestra Custom

Application areas:

- Communal areas
- Receptions
- Corridors
- Therapy, spa areas
- Special needs schools
- Shops
- Exhibitions

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or contact us to create something more bespoke. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Grass 1 | DPSCH0059

For full colour range and technical details
altro.com

Floors



Altro Operetta

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges.
Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.


Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.




Madrigal | OP2134U
WR455 / A1M361 / LRV 31

For full technical details altro.com


Floors




Acapella | OP2135U
WR456 / A1M338 / LRV 34




Glee | OP2136U
WR457 / A1M335 / LRV 52




Yeoman | OP2139U
WR460 / A1M484 / LRV 39




Baroque | OP2133U
WR454 / A1M86 / LRV 22




Leo | OP2179U
WR390 / A1M390 / LRV 30




Pulse | OP2118U
WR439 / A1M84 / LRV 16




Quintet | OP2114U
WR435 / A1M390 / LRV 26




Tempo | OP2115U
WR436 / A1M487 / LRV 17



Lola | OP2178U
WR391 / A1M82 / LRV 17




Clef | OP2125U
WR446 / A1M347 / LRV 37




Drop | OP2127U
WR448 / A1M361 / LRV 23




Vivo | OP2162U
WR494 / A1M494 / LRV 23



Stanza | OP2156U
WR515 / A1M136 / LRV 49



Beat | OP2155U
WR499 / A1M136 / LRV 56



Vagabond | OP2141U
WR484 / A1M484 / LRV 40

Floors



Altro Serenade

Application areas:

- Resident rooms
- Bedrooms
- Play areas
- Classrooms
- Lecture theatres
- Libraries
- Hotels

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and three designs. Co-ordinates with other ranges.


Altro Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Chord | SE3934U
WR455 / A1M361 / LRV 31

For full technical details altro.com

Floors



Caldara | SE3939U
WR460 / A1M484 / LRV 39

Anthem | SE3933U
WR454 / A1M86 / LRV 22

Metronome | SE3914U
WR435 / A1M390 / LRV 26

Encore | SE3929U
WR450 / A1M81 / LRV 24

March | SE3925U
WR446 / A1M347 / LRV 37

Floors – Safety



Altro Wood adhesive-free

Application areas:

- Entrances, corridors, communal areas
- Dining, bars
- Domestic kitchens
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood and Altro Wood Comfort.
Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled.
It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours.
Now with matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Champagne Oak | AFW280010
WR338 / A1M338 / LRV 38

For full technical details
altro.com

Floors – Safety



Portuguese Oak
AFW280013
WR335 / A1M335 / LRV 51



Frosted Oak
AFW280001
WR335 / A1M335 / LRV 52



Post Oak
AFW280016
WR350 / A1M483 / LRV 30



Soft Maple
AFW280002
WR339 / A1M339 / LRV 24



Summer Oak
AFW280005
WR340 / A1M340 / LRV 37



Caramel Oak
AFW280006
WR353 / A1M225 / LRV 25



Honey Maple
AFW280011
WR352 / A1M352 / LRV 27



Birnam Oak
AFW280017
WR352 / A1M352 / LRV 21



Oxford Oak
AFW280014
WR339 / A1M339 / LRV 22



Imperial Walnut
AFW280009
WR341 / A1M160 / LRV 15



Bur Oak
AFW280015
WR514 / A1M514 / LRV 21



Shaded Cherry
AFW280004
WR337 / A1M337 / LRV 17



Timeless Oak
AFW280007
WR347 / A1M347 / LRV 38



Dusky Cherry
AFW280003
WR336 / A1M239 / LRV 22



Holm Oak
AFW280018
WR478 / A1M390 / LRV 26



Vintage Oak
AFW280012
WR322 / A1M239 / LRV 19



Pitch Oak
AFW280008
WR348 / A1M348 / LRV 7

Floors – Safety



Altro Wood

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-effect vinyl safety flooring is now available in a range of designs with different plank sizes and shades including wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, making design simpler. Now with matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Autumn Maple | WSA2005
WR339 / A1M339 / LRV 24

For full technical details altro.com

Floors – Safety



Ranch Oak | WSA2021
WR335 / A1M335 / LRV 51



Bleached Oak | WSA2001
WR335 / A1M335 / LRV 52



Sessile Oak | WSA2027
WR350 / A1M483 / LRV 30



Washed Oak | WSA2015
WR347 / A1M347 / LRV 38



Farmhouse Oak | WSA2004
WR338 / A1M338 / LRV 38



Rustic Oak | WSA2006
WR340 / A1M340 / LRV 37



Spring Maple | WSA2018
WR352 / A1M352 / LRV 27



Oak Traditions | WSA2013
WR353 / A1M225 / LRV 25




Bavarian Oak | WSA2026
WR514 / A1M514 / LRV 21



Mountain Oak | WSA2022
WR339 / A1M339 / LRV 22



Honey Oak | WSA2028
WR352 / A1M352 / LRV 21



Slate Oak | WSA2029
WR478 / A1M390 / LRV 26



Vintage Cherry | WSA2002
WR336 / A1M239 / LRV 22



Urban Cherry | WSA2003
WR337 / A1M337 / LRV 17



Antique Walnut | WSA2007
WR341 / A1M160 / LRV 15



Worn Oak | WSA2023
WR322 / A1M239 / LRV 19



Manor Oak | WSA2016
WR348 / A1M348 / LRV 7

Floors – Safety



Altro Wood Comfort

Application areas:

- Entrances, corridors, communal areas
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort and safety. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Veteran Oak | WSASC2822
WR339 / A1M339 / LRV 22

For full technical details altro.com

Floors – Safety



Soft Oak | WSASC2804
WR338 / A1M27 / LRV 38

Light Bamboo
WSASC2820
WR463 / A1M392 / LRV 42

Field Oak | WSASC2806
WR340 / A1M340 / LRV 37

Warm Maple
WSASC2805
WR339 / A1M339 / LRV 24

Classic Walnut
WSASC2807
WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815
WR347 / A1M347 / LRV 38



Antique Cherry
WSASC2802
WR336 / A1M239 / LRV 22



Deep Cherry
WSASC2803
WR337 / A1M337 / LRV 17



Royal Oak | WSASC2823
WR322 / A1M239 / LRV 19



Regent Oak
WSASC2825
WR468 / A1M62 / LRV 10



Reclaimed Oak
WSASC2821
WR335 / A1M335 / LRV 51

Floors – Safety




Altro Illustra adhesive-free

Application areas:

- Entrances, communal areas, corridors
- Dining, bars, restaurants
- Domestic kitchens
- Bedrooms, quiet rooms
- Wards
- Classrooms, Libraries
- Shops
- Toilet, staff changing areas

Looking for an adhesive-free safety floor that provides limitless design possibilities? Altro Illustra adhesive-free combines style, safety, durability and provides installation flexibility, with the stone, textile, and mineral designs offering a range of aesthetic possibilities.

Using our award-winning adhesive-free installation method, Altro Illustra adhesive-free can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled. Using Altro adhesive-free floors, you can halve installation time compared with a traditional adhered installation, and save up to 50% embodied carbon.



Soft Blush | LUAF2408
WR570 / A1M11 / LRV 57

For full technical details
altro.com

Floors – Safety




Shrouded Mountain
LUAF2417
WR497 / A1M369 / LRV 55




Stepping Stone | LUAF2416
WR567 / A1M369 / LRV 55



Cobblestone
LUAF2414
WR560 / A1M79 / LRV 41




Crag Stone | LUAF2418
WR566 / A1M81 / LRV 36




Cocoa Clay | LUAF2413
WR565 / A1M387 / LRV 26




Hammerhead
LUAF2415
WR501 / A1M487 / LRV 20




Thunder Mountain
LUAF2412
WR562 / A1M83 / LRV 13




Cotton Twist
LUAF2409
WR446 / A1M347 / LRV 38




Tranquil Twist
LUAF2410
WR478 / A1M361 / LRV 25




Deep Twist | LUAF2411
WR301 / A1M82 / LRV 12




Distant Shore | LUAF2401
WR552 / A1M20 / LRV 43



Touchstone | LUAF2402
WR61 / A1M239 / LRV 27




Dusky Grit | LUAF2403
WR561 / A1M518 / LRV 17




Rose Petal | LUAF2405
WR535 / A1M149 / LRV 29



Tamarind | LUAF2404
WR539 / A1M42 / LRV 26



Waters Edge | LUAF2407
WR542 / A1M516 / LRV 38



Ivy League | LUAF2406
WR242 / A1M154 / LRV 20

Floors – Safety




Altro Illustra

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars, restaurants
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Toilet, staff changing areas

Looking for a safety floor that provides limitless design possibilities? Altro Illustra combines style, safety, durability and offers a range of aesthetic options, from nature inspired stone to modern textile design, the possibilities are endless. Whether you're creating an inviting learning environment, a comfortable care facility, an attractive retail space, or a welcoming hospitality venue, Altro Illustra is the perfect flooring solution to bring your vision to life. Love the look of Altro Illustra but want to save carbon, time and money – make the easy switch to Altro Illustra adhesive-free, the 100% recyclable design-led safety floor.



Hazy Twist | LU2409
WR446 / A1M347 / LRV 38

For full technical details
altro.com

Floors – Safety




Soapstone | LU2417
WR497 / A1M369 / LRV 55




Ammonite | LU2416
WR567 / A1M369 / LRV 55



Keystone | LU2414
WR560 / A1M79 / LRV 41




Jurassic Slab | LU2418
WR566 / A1M81 / LRV 36




Canyon Clay | LU2413
WR565 / A1M387 / LRV 26




Skyfall | LU2415
WR501 / A1M487 / LRV 20




Bedrock | LU2412
WR562 / A1M83 / LRV 13




Gentle Twist | LU2410
WR478 / A1M361 / LRV 25




Midnight Twist | LU2411
WR301 / A1M82 / LRV 12



Sand Castle | LU2401
WR552 / A1M20 / LRV 43



Clay Bed | LU2402
WR61 / A1M239 / LRV 27



Highway | LU2403
WR561 / A1M518 / LRV 17

Floors – Safety




Altro Suprema

Application areas:

- Entrances, corridors, stairs, dining, wards
- Domestic kitchens
- Classrooms
- Art rooms
- Treatment areas
- Clinics, vets
- Toilet, staff changing areas
- Early years wet play areas


Altro Suprema features a range of stylish colours reflecting contemporary trends and diverse design needs. This non-sparkle, low-gloss safety flooring has sustained slip resistance and is available in a choice of chip or plain designs.
It incorporates Altro Easyclean technology, designed for low maintenance and a lasting attractive appearance, saving you time and cleaning costs. And it has superior stain, abrasion and scratch resistance, so you can use even light colours with confidence.
Altro Suprema is manufactured and stocked in the UK. It is suitable for very heavy commercial use, foot and wheeled traffic in demanding commercial areas.



Clematis | SYI20029
WR546 / A1M228 / LRV 27

For full technical details altro.com

Floors – Safety



Ornella | SY20024
WR534 / A1M11 / LRV 49

Roselle | SYI20025
WR534 / A1M11 / LRV 49

Evora | SYI20017
WR538 / A1M515 / LRV 37

Calla | SY20030
WR538 / A1M515 / LRV 37

Diantha | SY20007
WR527 / A1M265 / LRV 37

Pampas | SY20009
WR569 / A1M01 / LRV 62

Primula | SY20023
WR543 / A1M335 / LRV 50

Dicentra | SYI20022
WR543 / A1M335 / LRV 50

Hazel | SY20008
WR526 / A1M239 / LRV 22

Coleus | SYI20004
WR526 / A1M239 / LRV 22

Hibiscus | SY20005
WR79 / A1M191 / LRV 42

Cicely | SY20006
WR81 / A1M81 / LRV 28


Agave | SY20002
WR525 / A1M86 / LRV 19

Festuca | SYI20010
WR528 / A1M82 / LRV 15


Cardoon | SYI20003
WR301 / A1M82 / LRV 11

Italicum | SY20001
WR301 / A1M82 / LRV 12


Floors – Safety




Okame | SYI20020
WR541 / A1M294 / LRV 47




Amaranth | SY20026
WR535 / A1M149 / LRV 29




Dahlia | SY20019
WR540 / A1M303 / LRV 14




Cranebill | SY20011
WR529 / A1M238 / LRV 9




Zinnia | SY20016
WR537 / A1M44 / LRV 13




Senna | SY20033
WR549 / A1M152 / LRV 31




Freesia | SY20018
WR539 / A1M42 / LRV 26




Kolibri | SY20014
WR533 / A1M399 / LRV 35




Gerbera | SY20031
WR547 / A1M154 / LRV 20




Sorrel | SY20028
WR545 / A1M517 / LRV 11




Acer | SY20027
WR544 / A1M396 / LRV 52




Wilder | SY20021
WR542 / A1M516 / LRV 37




Gentian | SY20013
WR531 / A1M71 / LRV 16



Lotus | SY20015
WR536 / A1M71 / LRV 14



Madara | SY20032
WR548 / A1M56 / LRV 19



Salvia | SY20012
WR530 / A1M73 / LRV 9

Floors – Safety



Altro XpressLay adhesive-free

Application areas:


- General purpose, versatile safety where adhesive-free benefits are required where occasional contamination from water is a concern.

Altro XpressLay adhesive-free can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay adhesive-free gives you same day welding and allows you to walk on the floor straight away.

Altro XpressLay adhesive-free has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.


The range has 30 colours and matches with Altro Walkway 20.




Streetlight | XLI2205P
WR287 / A1M79 / LRV 45

For full technical details
altro.com


Floors – Safety




Blizzard | XLI2255
WR79 / A1M191 / LRV 44




Cloud | XL2214
WR79 / A1M191 / LRV 41




Fog | XL22153
WR81 / A1M81 / LRV 27




Rock | XLI2204P
WR84 / A1M84 / LRV 23




Pavement | XLI2207P
WR83 / A1M83 / LRV14




Temple | XL2209P
WR261 / A1M81 / LRV 27



Whale | XLI2254
WR86 / A1M86 / LRV 20




Dolphin | XL2210
WR86 / A1M86 / LRV 21




Runway | XL2206P
WR72 / A1M72 / LRV 9




Black | XL22892
WR100 / A1M100 / LRV 6




Skyline | XL22332
WR52 / A1M52 / LRV 24




Tarragon | XLI2252
WR52 / A1M52 / LRV 26




Waterfall | XL22912
WR155 / A1M135 / LRV 31



Blue | XL22412
WR71 / A1M71 / LRV 22




River | XLI2257
WR71 / A1M71 / LRV 22




Lupin | XLI2259
WR286 / A1M286 / LRV 17



Midnight | XL22421
WR72 / A1M72 / LRV 11




Nightfall | XLI2256
WR72 / A1M72 / LRV 10




Coal | XLI2258
WR100 / A1M100 / LRV 6


Floors – Safety




Swan | XLI2212P
WR291 / A1M01 / LRV 75




Winter | XLI2253
WR105 / A1M01 / LRV 61




Minster | XL2218P
WR289 / A1M265 / LRV 40




Sand | XLI2251
WR20 / A1M20 / LRV 40




Bone | XL22215
WR20 / A1M20 / LRV 37




Biscuit | XL22907
WR146 / A1M20 / LRV 30




Tundra | XL22910
WR153 / A1M239 / LRV 17



Savannah | XLI2250
WR153 / A1M239 / LRV 19



Tango | XL2231
WR42 / A1M42 / LRV 14



Cherry | XL22920
WR148 / A1M148 / LRV 10



Floors – Safety



Altro Walkway 20


Application areas:

- General purpose flooring for areas where occasional contamination from water is a concern

Altro Walkway 20 has 30 colours featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay adhesive-free. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.


You've loved working with Altro Walkway 20 for over 35 years because it's easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.



Swan | VMI2012P
WR291 / A1M01 / LRV 75

For full technical details altro.com

Floors – Safety



Streetlight | VMI2005P
WR287 / A1M79 / LRV 45

Blizzard | VMI2055
WR79 / A1M191 / LRV 44

Fog | VM20153
WR81 / A1M81 / LRV 27

Rock | VMI2004P
WR84 / A1M84 / LRV 23

Pavement | VMI2007P
WR83 / A1M83 / LRV14

Temple | VM2009P
WR261 / A1M81 / LRV 27

Whale | VMI2054
WR86 / A1M86 / LRV 20

Dolphin | VM2010
WR86 / A1M86 / LRV 21

Black | VM20892
WR100 / A1M100 / LRV 6

Coal | VMI2058
WR100 / A1M100 / LRV 6

Skyline | VM20332
WR52 / A1M52 / LRV 24

Tarragon | VMI2052
WR52 / A1M52 / LRV 26

Waterfall | VM20912
WR155 / A1M135 / LRV 31

Blue | VM20412
WR71 / A1M71 / LRV 22

River | VMI2057
WR71 / A1M71 / LRV 22

Cloud | VM2014
WR79 / A1M191 / LRV 41


Runway | VM2006P
WR72 / A1M72 / LRV 9

Midnight | VM20421
WR72 / A1M72 / LRV 11


Nightfall | VMI2056
WR72 / A1M72 / LRV 10

Lupin | VMI2059
WR286 / A1M286 / LRV 17


Floors – Safety




Winter | VMI2053
WR105 / A1M01 / LRV 61




Minster | VM2018P
WR289 / A1M265 / LRV 40




Sand | VMI2051
WR20 / A1M20 / LRV 40




Bone | VM20215
WR20 / A1M20 / LRV 37




Biscuit | VM20907
WR146 / A1M20 / LRV 30




Tundra | VM20910
WR153 / A1M239 / LRV 17



Savannah | VMI2050
WR153 / A1M239 / LRV 19



Tango | VM2031
WR42 / A1M42 / LRV 14



Cherry | VM20920
WR148 / A1M148 / LRV 10



Floors – Safety



Altro Walkway 20 SD

Application areas:

- Computer/server suites
- Labs with static-sensitive equipment/gases
- Production areas for electronics

Matches:
Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the "SD" (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD
WR81 / A1M81 / LRV 27

For full technical details altro.com

Floors – Safety



Altro ContraX


Application areas:

- Versatile product. Please check with us for guidance on your specific project requirements.

Altro ContraX is a 2mm safety floor ideal for busy areas prone to spills, providing PTV ≥36 slip resistance and a 10-year guarantee.

The 12-strong colour palette offers a range of on-trend colours for your hard-working areas.

Choose Altro ContraX for a budget option when the look and functionality of a traditional safety floor is required.




Light Beige | CX2001N
WR12 / A1M12 / LRV 47


10 year product guarantee | Pendulum test PTV ≥36 | R10 | 1 in a million for life | altro EASYCLEAN | low VOC

For full technical details altro.com


Floors – Safety




Silver Grey | CX2019N
WR81 / A1M81 / LRV 25




Norse Grey | CX2017N
WR522 / A1M84 / LRV 23




Earth Brown | CX2014N
WR61 / A1M239 / LRV 25




Nearly Black | CX2009N
WR101 / A1M72 / LRV 10




Black | CX2010N
WR100 / A1M100 / LRV 6




Light Grey | CX2004N
WR85 / A1M85 / LRV 37




Dusky Blue | CX2005N
WR74 / A1M74 / LRV 22




Slate Grey | CX2006N
WR84 / A1M84 / LRV 23



Spring Beige | CX2016N
WR521 / A1M20 / LRV 42



Blood Red | CX2012N
WR45 / A1M238 / LRV 10



Himalayan Green | CX2018N
WR324 / A1M154 / LRV 25

Floors – Safety



Altro Classic 25


Application areas:

- Service corridors
- Serveries
- Behind bars
- Craft, design and technology areas
- Laundries
- Sluice rooms
- Sports changing rooms

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for nearly 80 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥45 and an R11 slip rating.


Available in 12 practical, dirt-hiding shades, for even greater choice, Altro Classic 25 is easy to clean and maintain.



Mushroom | X2542R11
WR24 / A1M27 / LRV 32

For full technical details altro.com

Floors – Safety




Truffle | X2545R11
WR153 / A1M239 / LRV 17

Walnut | X2586R11
WR62 / A1M62 / LRV 10

Quarry Red | X2560R11
WR42 / A1M42 / LRV 13

Blackberry | X2547R11
WR100 / A1M100 / LRV 7

Anvil | X2594R11
WR101 / A1M72 / LRV 11




Pewter Grey | X2539R11
WR81 / A1M81 / LRV 26

Whisper | X2548R11
WR354 / A1M84 / LRV 24

Graphite | X2546R11
WR86 / A1M86 / LRV 21


Blue | X2541R11
WR71 / A1M71 / LRV 20

Aster | X2549R11
WR286 / A1M286 / LRV 17



Legend | X2544R11
WR231 / A1M73 / LRV 10

Floors – Safety




Altro Reliance 25

Application areas:

- Entrances, corridors, communal areas
- Sports changing rooms
- Laboratories
- Clinical areas
- Art rooms
- Laundries

Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.


Combine with Altro Fortis wall protection system for your toughest areas.




Streetlight | D2505
WR287 / A1M79 / LRV 45

For full technical details altro.com


Floors – Safety




Temple | D2509
WR261 / A1M81 / LRV 27




Rock | D2504
WR84 / A1M84 / LRV 23




Fog | D25153
WR81 / A1M81 / LRV 27




Pavement | D2507
WR83 / A1M83 / LRV 14




Vault | D2517
WR277 / A1M100 / LRV 5




Stream | D2518
WR288 / A1M71 / LRV 22



Fountain | D2502
WR306 / A1M71 / LRV 22




Pool | D2503
WR307 / A1M73 / LRV 10




Runway | D2506
WR72 / A1M72 / LRV 9




Twilight | D25910
WR39 / A1M34 / LRV 8




Roof Garden | D2500
WR262 / A1M154 / LRV 23




Skyline | D25332
WR52 / A1M52 / LRV 25



Storm | D25903
WR82 / A1M82 / LRV 16




Midnight | D25421
WR72 / A1M72 / LRV 11




Jet | D2501
WR100 / A1M100 / LRV 6


Floors – Safety




Ice Rink | D2514
WR291 / A1M01 / LRV 70




Statue | D2513
WR304 / A1M12 / LRV 62




Arena | D2510
WR297 / A1M20 / LRV 41




Bone | D25215
WR20 / A1M20 / LRV 37




Biscuit | D25904
WR146 / A1M20 / LRV 30




Plaza | D2512
WR27 / A1M27 / LRV 32




Monument | D2508
WR305 / A1M239 / LRV 23




Gallery | D2511
WR62 / A1M62 / LRV 10




Rust | D25907
WR150 / A1M238 / LRV 10



Forge | D2515
WR248 / A1M238 / LRV 9



Signal | D2516
WR300 / A1M42 / LRV 13



Floors – Safety



Altro Atlas 40


Application areas:

- Industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift (for more intense forklift use please choose a resin)
- Sports changing rooms where spikes and studs on shoes are used
- Mezzanine areas

Tough as old boots… and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.


Available in 5 colours.




Pewter Grey | X4039
WR81 / A1M81 / LRV 26

For full technical details altro.com

Floors – Safety




Mushroom | X4042
WR24 / A1M27 / LRV 32



Quarry Red | X4060
WR42 / A1M42 / LRV 13



Walnut | X4086
WR62 / A1M62 / LRV 10



Anvil | X4094
WR101 / A1M72 / LRV 11

Floors – Safety




Altro Stronghold 30 adhesive-free

Application areas:

- Commercial kitchens (not domestic)**
- Cold rooms*
- Food preparation and service areas where grease, oil, fats are present
- Kitchen stairs*
- Temporary kitchens

Designed exclusively for commercial kitchens, Altro Stronghold 30 adhesive-free can be welded and walked on the same day, significantly reducing kitchen downtime. With an integral DPM, it's fast-fitting and can even be installed over existing flooring or on fresh concrete. Over 95% of an installed floor can be recycled or re-used after use.


Altro Stronghold 30 adhesive-free is the ideal flooring solution for busy kitchens. It's easy to maintain and repair and has excellent scratch and scuff resistance, giving your kitchen floor a long life expectancy. It has Altro's highest rating for slip resistance (PTV≥55, R12) and 3mm thickness, which provides comfort underfoot.




Clam | AFK30215
WR20 / A1M20 / LRV 36

For full technical details
altro.com


Floors – Safety



Celadon | AFK30332
WR52 / A1M52 / LRV 24




Zinc | AFK3010
WR86 / A1M86 / LRV 21




Mortar | AFK30911
WR101 / A1M72 / LRV 11




Gulf | AFK30421
WR72 / A1M72 / LRV 11



Soot | AFK3001
WR100 / A1M100 / LRV 7



Tempest | AFK30153
WR100 / A1M100 / LRV 7



Moleskin | AFK30500
WR153 / A1M239 / LRV 17

*For installations in cold rooms that reach temperatures below -0ºC, and on kitchen stairs, Altro Stronghold 30 adhesive-free must be fully adhered using AltroFix™ 19 Plus. For more information please refer to our technical installation guide.

**Altro recommend the use of AltroFix MP600 one trowel width around vulnerable points where water ingress or thermal shock might occur, such as drains, gullies and exposed edges to ensure the correct profile of the flooring. For more information please refer to our technical installation guide.

Floors – Safety




Altro Stronghold 30

Application areas:

- Commercial kitchens (not domestic)
- Cold rooms
- Food preparation and service areas where grease, oil, fats are present
- Sloping ramps
- Kitchen stairs


Water underfoot is treacherous enough – add grease, oils and fats, and you've got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it's essential to select flooring that will help catering staff do their job safely.
Altro Stronghold 30 achieves Altro's highest rating for slip resistance (PTV ≥55, R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.
Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Star | K30912
WR79 / A1M191 / LRV 41

For full technical details altro.com


Floors – Safety




Monsoon | K30153
WR81 / A1M81 / LRV 24



Cannon | K30911
WR101 / A1M72 / LRV 11




Dolphin | K3010
WR86 / A1M86 / LRV 21




Midnight | K30421
WR72 / A1M72 / LRV 11




Abyss | K3001
WR100 / A1M100 / LRV 7




Oyster | K30215
WR20 / A1M20 / LRV 36




Biscuit | K30907
WR146 / A1M20 / LRV 30




Torch | K30913
WR278 / A1M42 / LRV 16




Tundra | K30500
WR153 / A1M239 / LRV 17




Skyline | K30332
WR52 / A1M52 / LRV 24



Lime | K3086
WR472 / A1M381 / LRV 42



Russet | K30262
WR41 / A1M41 / LRV 14



Surf | K30412
WR71 / A1M71 / LRV 20

Floors – Safety



Altro Oceanis

Application areas:

- Bathrooms
- Wet rooms
- Shower areas
- Home adaptations
- Changing rooms (except where spikes / studs – see our heavy duty ranges)
- Saunas
- Spa's
- Therapy pools with specialist care

With Altro Oceanis you can have it all: good looks and safety.

Altro Oceanis offers durable slip resistance for both shoes and barefoot use in residential and commercial settings. Meeting Class B to DIN 51097 and PTV ≥50 standards for wet and dry conditions Altro Oceanis is available in stone, wood-effect and mineral styles. Tested for performance with a variety of shoes and contaminants in high-risk areas Altro Oceanis is easy to clean, combining safety with appealing, natural designs.



Canadian Maple
NCA2513
WR339 / A1M339 / LRV 28

For full technical details altro.com

Floors – Safety



Mediterranean Oak
NCA2512
WR338 / A1M338 / LRV 42



Pacific Oak
NCA2516
WR591 / A1M483 / LRV 35



Atlantic Oak
NCA2515
WR566 / A1M137 / LRV 36




French Cherry
NCA2514
WR590 / A1M239 / LRV 24



Sea Shell
NCA2505
WR587 / A1M369 / LRV 55



Pebble
NCA2504
WR503 / A1M137 / LRV 44



Shearwater
NCA2503
WR586 / A1M515 / LRV 31




Boulder
NCA2502
WR585 / A1M487 / LRV 24




Cormorant
NCA2501
WR481 / A1M83 / LRV 16




Eddystone
NCA2506
WR588 / A1M369 / LRV 61



Pearl
NCA2510
WR388 / A1M388 / LRV 48




Keel
NCA2511
WR589 / A1M390 / LRV 32



Steam Boat
NCA2509
WR559 / A1M86 / LRV 20



Rowing Boat
NCA2507
WR385 / A1M385 / LRV 48



Spinnaker
NCA2508
WR568 / A1M239 / LRV 19

Floors – Safety




Altro Aquarius

Application areas:

- Bathrooms
- Showers
- Wet rooms
- Changing rooms (except where spikes / studs – see our heavy duty ranges)
- Saunas
- Spas
- Home adaptation level access bathrooms
- Therapy pools with specialist care


Achieving a PTV ≥50 (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments. This range features plain and tonal chip options and with 20 colours to choose from, including some timeless neutrals and bold trendy tones, you can be sure to find the floor that will meet the LRV requirements of your project. It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.




Puffin | AQI2005
WR287 / A1M79 / LRV 46

For full technical details altro.com


Floors – Safety




Terrapin | AQI2009
WR289 / A1M265 / LRV 40



Vole | AQ2010
WR289 / A1M265 / LRV 43



Walrus | AQ2007
WR261 / A1M81 / LRV 29




Tern | AQI2008
WR261 / A1M81 / LRV 31




Hippo | AQI2013
WR301 / A1M82 / LRV 11




Gosling | AQI2023
WR369 / A1M369 / LRV 59




Iguana | AQ2021
WR297 / A1M20 / LRV 41




Otter | AQI2006
WR290 / A1M239 / LRV 26




Cygnet | AQ2004
WR287 / A1M79 / LRV 46




Salamander | AQI2011
WR294 / A1M294 / LRV 41




Swan | AQI2012
WR291 / A1M01 / LRV 75




Sea Snail | AQI2024
WR370 / A1M370 / LRV 50




Dragonfly | AQ2001
WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002
WR288 / A1M71 / LRV 24




Newt | AQ2022
WR368 / A1M368 / LRV 10



Coral Crab | AQI2014
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016
WR303 / A1M303 / LRV 11



Treefrog | AQI2003
WR293 / A1M271 / LRV 33



Mallard | AQI2015
WR302 / A1M302 / LRV 13

Floors – Safety



Altro Pisces

Application areas:

- Bathrooms
- Showers
- Wet rooms
- Changing rooms (except where spikes / studs – see our heavy duty ranges)
- Saunas
- Spas
- Home adaptation level access bathrooms

For ‘home from home’ environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN 51097 for barefoot use, plus a Pendulum Test Value (PTV) of ≥50 (Slider 96), a soft-look finish and 17 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slip-resistance you expect from Altro.


Altro Pisces performs whether wet or dry, in shoes or barefoot.



Breakwater | SB2003
WR386 / A1M20 / LRV 42

For full technical details altro.com

Floors – Safety



Lighthouse | SB2001
WR291 / A1M01 / LRV 70

Jellyfish | SB2005
WR388 / A1M388 / LRV 46


Porthole | SB2007
WR390 / A1M390 / LRV 30

Anchor | SB2008
WR391 / A1M82 / LRV 16


Houseboat | SB2015
WR398 / A1M398 / LRV 25




Fisherman | SB2009
WR392 / A1M392 / LRV 48




Seahorse | SB2011
WR394 / A1M394 / LRV 47




Windbreak | SB2016
WR399 / A1M399 / LRV 38



Deckchair | SB2013
WR396 / A1M396 / LRV 50




Sea Urchin | SB2014
WR397 / A1M397 / LRV 34



Cuttlefish | SB2002
WR385 / A1M385 / LRV 50



Shoreline | SB2006
WR389 / A1M389 / LRV 38




Beach Hut | SB2012
WR395 / A1M395 / LRV 37



Driftwood | SB2004
WR387 / A1M387 / LRV 32



Sand Dune | SB2018
WR568 / A1M239 / LRV 20



Starfish | SB2010
WR393 / A1M393 / LRV 21

Floors – Safety




Altro Marine 20

Application areas:

- Shower cubicles
- Swimming pool foot bath
- Swimming pool surrounds


Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class B and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.




Shark | IPT20812
WR201 / A1M84 / LRV 24

For full technical details altro.com


Floors – Safety



Cascade | IPT20809
WR105 / A1M01 / LRV 71



Steam | IPT20807
WR85 / A1M85 / LRV 37



Tide | IPT20808
WR71 / A1M71 / LRV 21

Walls



Altro Whiterock White


Application areas:

- Accident and emergency, critical care
- Commercial, social, student kitchens
- Laboratories, test areas
- Laundries, mortuaries
- Bathrooms

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.

Pair with AltroFix™ W139 adhesive for your fully bonded, 30-year system guarantee.



White | W103-W104
LRV 89

For full technical details altro.com



Walls



Altro Whiterock Vantage


Application areas:

- Commercial kitchens
- Kitchens in social housing and student accommodation
- Laboratories
- Laundries
- Retail back of supermarkets
- Food servery
- Bathrooms – social housing and student accommodation
- Day wards and outpatients

The perfect hygienic wall system for general purpose areas, Altro Whiterock Vantage is a durable solution. It gives you all the quality you expect from Altro in a white sheet and meets all relevant construction standards.

Altro Vantage is a co-extruded sheet, made up of two layers. Available in a timeless, aesthetic white, it forms a long-lasting alternative to white tiles or paint. Altro Vantage has a 20-year guarantee.

Altro Vantage offers you the best balance between price and performance. With a choice of accessories, you can create a total hygienic system, which is easy to clean and maintain.



White | W107-W108
LRV 81

For full technical details altro.com

Walls



Altro Whiterock Satins

Application areas:

- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms
- Kitchenettes

Utilise colour to subtly create a mood with Altro Whiterock Satins. This adaptable and refined wall cladding comes in various off-white hues, tonal colours, and solid, decorative shades, ranging from calming and restorative to vibrant and dynamic. In addition to LRVs, we've also measured the chroma values to help you choose the best colour.
Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.
Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010.
Pair with AltroFix™ W139 adhesive for your fully bonded, 30-year system guarantee.

Serenity | 227
LRV 56

For full technical details altro.com

Walls

Linen | 41
LRV 83

Silk | 229
LRV 68

Hessian | 233
LRV 68

Fawn | 206
LRV 41

Clay | 224
LRV 29

Blossom | 230
LRV 77

Oyster | 32
LRV 73

Blush | 231
LRV 29

Honeydew | 225
LRV 60

Bergamot | 220
LRV 26

Seafoam | 43
LRV 81

Spa | 232
LRV 81

Promenade | 212
LRV 32

Orchard | 223
LRV 50

Walls

Cesco | 53
LRV 72

Echo | 208
LRV 36

Urban | 210
LRV 28

Twilight | 226
LRV 12

Dakota | 209
LRV 6

Ice | 44
LRV 80

Clarity | 207
LRV 64

Breeze | 228
LRV 64

Flint | 201
LRV 32

Ozone | 211
LRV 10

Mint | 203
LRV 59

Vibrance | 213
LRV 22



Walls



Altro Whiterock Chameleon

Application areas:

- High-end bathrooms
- Showers and changing rooms
- Foyers
- Serveries
- Retail

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.

Pair with AltroFix™ W139 adhesive for your fully bonded, 20-year system guarantee.

Key Lime | 6635
LRV 50

For full technical details altro.com

Walls

Pure Innocence | 6601V
LRV 92

Slip Stream | 6611V
LRV 36

Night Fall | 6622V
LRV 15

Sheer Glass | 6609V
LRV 40

Ocean Deep | 6637
LRV 7

Ice Queen | 6629V
LRV 36

Eau De Chic | 6605V
LRV 48

Hawaiian Palm | 6638
LRV 22

Distant Thunder | 6634
LRV 18

Liquorice | 6612V
LRV 5

Taxi Cab | 6636
LRV 58

Moulin Rouge | 6618V
LRV 12

Juicy Lucy | 6620V
LRV 20

Shocking Pink | 6616V
LRV 15

Feng Shui | 6617V
LRV 9

Walls



Altro Whiterock wall designs

Application areas:

- Public areas, receptions, foyers, lobbies
- Bedrooms in hotels and hospitals
- Cafés, restaurants and bars
- Bathrooms, showers and changing rooms

With natural wood, minerals, weaves, concretes and marble options, Altro Whiterock wall designs give an elegance to interior walls while providing the durability you expect from an Altro Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Altro Whiterock sheet, can be hot welded and can be combined with Altro floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Altro Whiterock and Altro Fortis wall sheets in adjacent areas.

Pair with AltroFix™ W139 adhesive for your fully bonded, 10-year system guarantee.



Warm Elegance | 9917
LRV 61

For full technical details altro.com

Walls

White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48



Urban Mineral | 9907
LRV 28



White Elegance | 9919
LRV 80



Soft Elegance | 9918
LRV 54

Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Warm Concrete | 9916
LRV 24



Soft Woodgrain | 9901
LRV 52



Warm Woodgrain | 9904
LRV 38



Rich Woodgrain | 9902
LRV 14



White Woodgrain | 9915
LRV 79



Cool Woodgrain | 9914
LRV 31

Walls



Altro Whiterock Digiclad (Custom)

Application areas:

- Cafés, restaurants and bars
- Public areas, receptions, foyers, lobbies
- Retail, offices, commercial building spaces where looks count
- Bathrooms, showers and changing rooms



Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.


Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.

10 year product guarantee

HACCP INTERNATIONAL FOOD SAFETY PROGRAMME CERTIFICATION

For full technical details altro.com

Walls



Altro Fortis Titanium

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 11 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability where scuffs and scrapes are common.

** Conditions apply. Please contact us for more information.

20 year product guarantee

Cardinal | FT/221
LRV 13

For full technical details altro.com

Walls

White | FT/01
LRV 89

Pearl | FT/41
LRV 83

Almond | FT/32
LRV 70

Tan | FT/206
LRV 41

Kingfisher | FT/213
LRV 22

Shadow | FT/53
LRV 71

Battleship | FT/208
LRV 43

Riviera | FT/207
LRV 64

Denim | FT/201
LRV 32

Oxford | FT/211
LRV 10

Walls




Altro Fortis corner protection

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

For extra protection on a wall’s vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn’t right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.



Battleship | FT/208/E75X75
LRV 43

20 year product guarantee

For full technical details altro.com

Walls



White
FT/01/E75X75
LRV 89

Pearl
FT/41/E75X75
LRV 83

Almond
FT/32/E75X75
LRV 70

Tan
FT/206/E75X75
LRV 41

Cardinal
FT/221/E75X75
LRV 13

Shadow
FT/53/E75X75
LRV 71

Riviera
FT/207/E75X75
LRV 64

Denim
FT/201/E75X75
LRV 32

Oxford
FT/211/E75X75
LRV 10

Kingfisher
FT/213/E75X75
LRV 22

Walls



Altro Tegulis

Application areas:

- Bathrooms
- Non-commercial kitchens
- Supermarket counters
- Bars / Cafe / Restaurants
- Spas
- Hotels

With numerous colour and tile-effect combinations Altro Tegulis is perfect for those looking to create a stylish, flexible look for walls. Created from 13 standard tile-effect options with multiple colour and design palettes and an option for custom, bespoke design.

An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes creative wall design to a new level.

With the look and feel of tiles, the custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.

Pair with AltroFix™ W139 adhesive for your fully bonded, 10-year system guarantee.

10 year product guarantee



Urban Mineral
9907 | LRV 28

For full technical details altro.com

Walls



White Elegance
9919 | LRV 80



Warm Elegance
9917 | LRV 61

White Mineral
9905 | LRV 61



Soft Elegance
9918 | LRV 54




Warm Concrete
9916 | LRV 24

White Woodgrain
9915 | LRV 79



Soft Woodgrain
9901 | LRV 52



White
W103 | LRV 89

Hessian
233 | LRV 68



Serenity
227 | LRV 56




Twilight
226 | LRV 12

Swatch sample shows Herringbone design.


Walls

Altro Tegulis Essence range


Essence provides you with an essential collection of seven tile designs, including Herringbone, Stacked Metro and Metro giving a distinctive or minimalist aesthetic.




Herringbone tile
62mm x 197mm




Stacked Metro tile
76mm x 292mm




Stacked Metro tile
222mm x 389mm




Stacked Metro tile
292mm x 592mm



Metro tile
76mm x 146mm



Metro tile
76mm x 292mm



Metro tile
102mm x 233mm







Walls

Altro Tegulis Deluxe range


Deluxe features a range of six more intricate and detailed patterns including Square, Chevron, Hexagon, KitKat and two mosaic designs, allowing for style versatility.




Square tile
106mm x 106mm




Mosaic tile
35mm x 35mm




Mosaic tile
53mm x 53mm



Hexagon tile
112mm x 130mm



KitKat
22mm x 147mm



Chevron tile
141mm x 408mm

Walls




Altro Whiterock Whiteboard

Application areas:

- Classrooms
- Meeting, training rooms
- Consultation rooms
- Play areas

Altro Whiterock Whiteboard is ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001
LRV 89

For full technical details altro.com

Walls



Altro Walls ShowerKit

Application areas:

- Bathrooms, ensuites
- Shower areas

Eliminating the need for costly and time-consuming tile removal Altro Walls ShowerKit enables customers to transform the appearance of bathrooms without undertaking extensive renovations, saving both time and money in refurbishment or new build projects.

- Water-resistant
- Easy to clean
- Durable
- 10-year guarantee
- Reduces installation time
- Limitless design possibilities

Without the need for grout – where stains and mould can be a problem – with design and colour options from classic white to tile-effect, Altro Walls ShowerKit looks good from installation and beyond.

10 year product guarantee

White | W103-W104
LRV 89

For full technical details altro.com

Walls

Linen | 41
LRV 83

Silk | 229
LRV 68

Hessian | 233
LRV 68

Fawn | 206
LRV 41

Clay | 224
LRV 29

Blossom | 230
LRV 77

Oyster | 32
LRV 73

Blush | 231
LRV 29

Honeydew | 225
LRV 60

Bergamot | 220
LRV 26

Seafoam | 43
LRV 81

Spa | 232
LRV 81

Serenity | 227
LRV 56

Promenade | 212
LRV 32

Orchard | 223
LRV 50

Walls

Cesco | 53
LRV 72

Echo | 208
LRV 36

Urban | 210
LRV 28

Dakota | 209
LRV 6

Clarity | 207
LRV 64

Breeze | 228
LRV 64

Flint | 201
LRV 32


Ozone | 211
LRV 10

Twilight | 226
LRV 12

Ice | 44
LRV 80


Mint | 203
LRV 59

Vibrance | 213
LRV 22





Walls


Tile-effect - 100mm x 100mm Square



White | W103-W104
LRV 89

Hessian | 233
LRV 68



Serenity | 227
LRV 56


Twilight | 226
LRV 12



White Elegance | 9919
LRV 80



Warm Elegance | 9917
LRV 61


White Mineral | 9905
LRV 61


Urban Mineral | 9907
LRV 28

White Woodgrain | 9915
LRV 79



Soft Woodgrain | 9901
LRV 52


Soft Elegance | 9918
LRV 54



Warm Concrete | 9916
LRV 24

Walls


Tile-effect - 100mm x 300mm Stacked Metro



White | W103-W104
LRV 89

Hessian | 233
LRV 68



Serenity | 227
LRV 56


Twilight | 226
LRV 12


White Elegance | 9919
LRV 80



Warm Elegance | 9917
LRV 61

White Mineral | 9905
LRV 61


Urban Mineral | 9907
LRV 28

White Woodgrain | 9915
LRV 79



Soft Woodgrain | 9901
LRV 52


Soft Elegance | 9918
LRV 54


Warm Concrete | 9916
LRV 24


Walls

Tile-effect - 200mm x 300mm Stacked Metro



White | W103-W104
LRV 89


Hessian | 233
LRV 68




Serenity | 227
LRV 56



Twilight | 226
LRV 12



White Elegance | 9919
LRV 80



Warm Elegance | 9917
LRV 61

White Mineral | 9905
LRV 61




Urban Mineral | 9907
LRV 28

White Woodgrain | 9915
LRV 79



Soft Woodgrain | 9901
LRV 52



Soft Elegance | 9918
LRV 54



Warm Concrete | 9916
LRV 24



Walls



Altro Whiterock Splashbacks

Application areas:

- Kitchens, kitchenettes
- Bistros
- Hospital wards
- Ensuite bathrooms
- Schools, nurseries
- Supermarket counters

Hygienic, low-maintenance, convenient and easy to install, Altro Whiterock Splashbacks are a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to co-ordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon and Altro Whiterock wall designs ranges, pick your size, and away you go.

Key Lime | 6635
LRV 50

For full technical details altro.com

Walls

Pure Innocence | 6601V
LRV 92

Slip Stream | 6611V
LRV 36

Night Fall | 6622V
LRV 15

Ocean Deep | 6637
LRV 6

Liquorice | 6612V
LRV 5

Distant Thunder | 6634
LRV 18

Sheer Glass | 6609V
LRV 40

Eau De Chic | 6605V
LRV 48

Hawaiian Palm | 6638
LRV 22

Ice Queen | 6629V
LRV 36

Taxi Cab | 6636
LRV 58

Moulin Rouge | 6618V
LRV 12

Juicy Lucy | 6620V
LRV 20

Shocking Pink | 6616V
LRV 15

Feng Shui | 6617V
LRV 9

Linen | 41
LRV 83

Silk | 229
LRV 68

Hessian | 233
LRV 68

Fawn | 206
LRV 41

Clay | 224
LRV 29

Blossom | 230
LRV 77

Oyster | 32
LRV 73

Blush | 231
LRV 29

Honeydew | 225
LRV 60


Bergamot | 220
LRV 26

Walls

Seafoam | 43
LRV 81

Spa | 232
LRV 81


Serenity | 227
LRV 56


Promenade | 212
LRV 32


Orchard | 223
LRV 50

Cesco | 53
LRV 72


Ice | 44
LRV 80

Breeze | 228
LRV 64



Mint | 203
LRV 59


Vibrance | 213
LRV 22


Clarity | 207
LRV 64



Flint | 201
LRV 32



Ozone | 211
LRV 10


Twilight | 226
LRV 12


Dakota | 209
LRV 6


Echo | 208
LRV 36


Urban | 210
LRV 28



White | W103-W104
LRV 89

Walls

White Mineral | 9905
LRV 61


Cool Mineral | 9906
LRV 48


Urban Mineral | 9907
LRV 28


White Elegance | 9919
LRV 80

Winter Weave | 9909
LRV 58


Autumn Weave | 9910
LRV 43


Soft Elegance | 9918
LRV 54


Warm Elegance | 9917
LRV 61


Warm Concrete | 9916
LRV 24


Soft Woodgrain | 9901
LRV 52


White Woodgrain | 9915
LRV 79


Cool Woodgrain | 9914
LRV 31



Warm Woodgrain | 9904
LRV 38


Rich Woodgrain | 9902
LRV 14

Technical drawings – Floors


Straight laid

D1/03/05



Sit-on cove


D2



Technical drawings – Floors


Set-in cove skirting

D3



Self-coved with cove former and capping seal


D4/03/05



Technical drawings – Floors


Self-coved with cove former and captile strip C8 to wall tiles

D5/03/05



Self-coved with cove former and capping seal C11 over floor tiles


D6/03/05



Technical drawings – Floors


Self-coved with cove former to Altro wall system semi-rigid PVCu sheet

D8/03/05



Self-coved to architrave


D9/03/05



Technical drawings – Floors


Finished to gully angle

D10/03/05



Transition with other floor surfaces


D12/08/05



Technical drawings – Floors


Transition with clamping drain

D13/03/05



Transition with clamping channel


D14/03/05



Technical drawings – Floors

Transition with access covers


D16/03/05



Technical drawings – Walls


Altro wall system to window / door frame detail

W1



Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail


WS2



Technical drawings – Walls


Altro wall system to boxing inspection cover detail

W3



Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail

WF4




Shower tray detail for dementia-friendly environments available at www.altro.com

Technical drawings – Walls


Altro wall system to Altro resilient flooring overlap detail

WF4a



Altro wall system to Altro resin flooring detail


WF5



Technical drawings – Walls


Altro wall system to Altro resin flooring detail

WF6



Altro wall system with corner protector fixing detail


W8



Technical drawings – Walls


Altro wall sheet to Altro wall sheet detail

W9



Altro wall sheet to Altro Whiterock FlexiJoint detail


W11



Technical drawings – Walls


Concealed transition strip

WHTT2



Concealed transition strip


WHTT3



Technical drawings – Walls

Concealed transition strip

WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.

Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling

Customer support and CPD services

Altro showrooms

NBS specifications

Life cycle costs

More information is available on altro.com



> “We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”
>
> Scott Myers,
> Managing Director, Pinnacle

Samples

If colour choice is critical, please request a sample of the material

01462 707 700

enquiries@altro.com

altro

Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW

01462 707 700 enquiries@altro.com

Altro, Altro, Altro Ensemble, Altro Cantata adhesive-free, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro Illustra adhesive-free, Altro Illustra, Altro Walkway, Altro Walkway SD, Altro XpressLay adhesive-free, Altro ContraX, Altro Stronghold adhesive-free, Altro Stronghold, Altro Oceanis, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock wall designs, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad (Custom), Altro Whiterock Whiteboard, Altro Whiterock Splashbacks, Altro Walls ShowerKit, Altro Fortis Titanium and Altro Fortis corner protection are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2026

altro.com

5393 issue date 09/26
PROD CAT EN